

Message

From: Kay, Robert [rtkay@usgs.gov]
Sent: 12/5/2013 10:01:51 PM
To: Jack Thorsen [jack.thorsen@sbcglobal.net]
CC: Nordine, John [nordine.john@epa.gov]; Gerald Ruopp [gruopp@centralwire.com]
Subject: Re: Techalloy Residential Well Sampling

Jack--if you could ask Brian to call me i'd appreciate it. my cell # is Ex. 6 Personal Privacy (PP) John--correct me if i'm wrong, but it's my understanding you only want me to be present for the residential well sampling.

thanks

On Thu, Dec 5, 2013 at 3:55 PM, Jack Thorsen <jack.thorsen@sbcglobal.net> wrote:

Bob:

Our sampler, Brian McQueen usually gets to the plant at about 8 am on Monday December 9 and starts sampling the wells around the plant first, so Brian will usually start sampling between 8:30 and 9 am.

It usually takes him all day and into the next to sample all of the RCRA wells and the residential wells.

Let me know when you are coming or give me a call when you arrive.

Regards,

Jack

John W. Thorsen, P.E.

Autumnwood ESH Consultants

262.237.1130

From: Nordine, John [mailto:nordine.john@epa.gov]
Sent: Thursday, December 05, 2013 2:55 PM
To: Jack Thorsen
Cc: Bob Kay; Gerald Ruopp
Subject: Techalloy Residential Well Sampling
Importance: High

Mr. Thorsen;

Please give Bob Kay (USGS) a call or send an email on where and when he should meet you for the Residential Well sampling next week. Mr. Kay's phone number is Ex. 6 Personal Privacy (PP) and email is rtkay@usgs.gov. If you have any questions please contact me and send me a email with the information.

Respectfully,

John Nordine, CPG, LPG
U.S. EPA, Region 5
RCRA Corrective Action Section
77 W. Jackson Blvd. LU-9J
Chicago, Illinois 60604

Phone: 312-353-1243
Fax: 312-385-5338

"The great end of education is to discipline rather than finish the mind; to train it to use of its own powers rather than to fill it with the accumulation of others." Tryon Edwards
"Don't interfere with anything in the Constitution. That must be maintained, for it is the only safeguard of our liberties" Abraham Lincoln